


# **EXHIBIT 66**



[VIEW 3D MODEL](#)

Roof	Area	Total	Length
Roof Facets	2025 ft²	7	-
Ridges / Hips	-	3	74' 5"
Valleys	-	4	38' 10"
Rakes	-	10	105' 8"
Eaves	-	7	103' 11"
Flashing	-	0	-
Step Flashing	-	5	20' 6"
Drip Edge/Perimeter	-	-	209' 7"


Roof Pitch*	Area	Percentage
12 / 12	1259 ft²	62.17%
5 / 12	607 ft²	29.98%
3 / 12	159 ft²	7.85%




Example Waste Factor Calculations

	Zero Waste	+5%	+10%	+15%	+20%
Area	2025 ft²	2126 ft²	2228 ft²	2329 ft²	2430 ft²
Squares	20⅓	21⅓	22⅓	23⅓	24⅓

The table above provides the total roof area of a given property using waste percentages as noted. Please consider that area values and specific waste factors can be influenced by the size and complexity of the property, captured image quality, specific roofing techniques, and your own level of expertise. Additional square footage for Hip, Ridge, and Starter shingles are not included in this waste factor and will require additional materials. This table is only intended to make common waste calculations easier and should not be interpreted as recommendations.




Number of Stories: 1  
Footprint Perimeter: 158' 8"  
Footprint Area: 1431 ft<sup>2</sup>





Soffit Summary

Depth	Type	Count	Total Length	Total Area
1" - 6"	eaves	1	1' 3"	1 ft²
6" - 12"	eaves	5	69' 9"	52 ft²
12" - 18"	rakes	8	89'	99 ft²
	eaves	1	20' 7"	27 ft²
> 48"	eaves	1	20' 7"	122 ft²
Totals			201' 2"	300 ft²




Soffit Breakdown

num	Type	Depth	Length	Area	Pitch
1	eave	15"	20' 7"	27 ft²	3 / 12
2	eave	71"	20' 7"	122 ft²	3 / 12
3	eave	5"	1' 3"	1 ft²	12 / 12
4	rake	15"	11' 1"	14 ft²	12 / 12
5	rake	15"	23' 2"	28 ft²	5 / 12
6	eave	8"	22' 9"	15 ft²	5 / 12
7	eave	10"	1' 1"	1 ft²	12 / 12
8	rake	13"	8' 4"	9 ft²	12 / 12
9	rake	13"	9' 11"	10 ft²	12 / 12
10	eave	10"	12' 4"	10 ft²	12 / 12
11	rake	13"	11' 9"	12 ft²	12 / 12
12	rake	13"	1' 4"	1 ft²	12 / 12
13	eave	10"	31' 5"	25 ft²	12 / 12
14	rake	13"	11' 9"	12 ft²	12 / 12
15	rake	13"	11' 9"	12 ft²	12 / 12
16	eave	10"	2' 2"	2 ft²	12 / 12

Ø Feature is too small to label on the plan diagram


Roof	Length
Ridges (RI)	74' 5"
Hips (H)	-
Valleys (V)	38' 10"
Rakes (RA)	105' 8"
Eaves (E)	103' 11"
Flashing (F)*	-
Step Flashing (SF)*	20' 6"
Transition Line (TL)	51' 4"

\*Please view the 3D model for more detail (e.g. flashing, step flashing and some other roof lines may be difficult to see on the PDF)



Roof Facets


Facet	Area	Pitch
RF-1	159 ft <sup>2</sup>	3/12
RF-2	345 ft <sup>2</sup>	12/12
RF-3	311 ft <sup>2</sup>	12/12
RF-4	405 ft <sup>2</sup>	12/12
RF-5	607 ft <sup>2</sup>	5/12
RF-6	62 ft <sup>2</sup>	12/12
RF-7	136 ft <sup>2</sup>	12/12



Roof	Facets	Total
Total	7	2025 ft²



Roof Pitch	Area	Percentage
12 / 12	1259 ft <sup>2</sup>	62.17%
5 / 12	607 ft <sup>2</sup>	29.98%
3 / 12	159 ft <sup>2</sup>	7.85%
















VIEW 3D MODEL

Roof	Area	Total	Length
Roof Facets	3180 ft <sup>2</sup>	8	-
Ridges / Hips	-	4	91' 9"
Valleys	-	4	35' 3"
Rakes	-	12	162' 6"
Eaves	-	10	138'
Flashing	-	2	1' 9"
Step Flashing	-	2	41'
Drip Edge/Perimeter	-	-	300' 5"

Roof Pitch*	Area	Percentage
6 / 12	3180 ft <sup>2</sup>	100%




Example Waste Factor Calculations


	Zero Waste	+5%	+10%	+15%	+20%
Area	3180 ft <sup>2</sup>	3339 ft <sup>2</sup>	3498 ft <sup>2</sup>	3657 ft <sup>2</sup>	3816 ft <sup>2</sup>
Squares	32	33⅔	35	36⅔	38⅓

The table above provides the total roof area of a given property using waste percentages as noted. Please consider that area values and specific waste factors can be influenced by the size and complexity of the property, captured image quality, specific roofing techniques, and your own level of expertise. Additional square footage for Hip, Ridge, and Starter shingles are not included in this waste factor and will require additional materials. This table is only intended to make common waste calculations easier and should not be interpreted as recommendations.

BACK



FRONT




Number of Stories: 1

Footprint Perimeter: 240' 1"

Footprint Area: 2518 ft<sup>2</sup>

Soffit Summary

Depth	Type	Count	Total Length	Total Area
6" - 12"	rakes	2	41'	39 ft <sup>2</sup>
	eaves	6	39' 7"	28 ft <sup>2</sup>
12" - 18"	rakes	8	101' 11"	122 ft <sup>2</sup>
	eaves	9	136' 4"	194 ft <sup>2</sup>
18" - 24"	eaves	1	7' 4"	14 ft <sup>2</sup>
> 48"	eaves	2	15' 1"	82 ft <sup>2</sup>
Totals			341' 2"	479 ft <sup>2</sup>





Soffit Breakdown


	num	Type	Depth	Length	Area	Pitch
	1	eave	17"	10' 3"	15 ft²	6 / 12
	2	eave	23"	7' 4"	14 ft²	6 / 12
	3	rake	14"	4' 7"	6 ft²	6 / 12
	4	eave	9"	6' 2"	4 ft²	6 / 12
	5	eave	9"	7' 4"	5 ft²	6 / 12
	6	rake	14"	5' 1"	6 ft²	6 / 12
	7	rake	14"	20' 6"	25 ft²	6 / 12
	8	eave	65"	7' 4"	40 ft²	6 / 12
	9	eave	17"	5' 11"	8 ft²	6 / 12
	10	eave	9"	6' 2"	4 ft²	6 / 12
	11	eave	17"	13' 1"	19 ft²	6 / 12
	12	rake	12"	20' 6"	20 ft²	6 / 12
	13	rake	12"	20' 6"	20 ft²	6 / 12
	14	eave	17"	34'	48 ft²	6 / 12
	15	rake	14"	20' 6"	25 ft²	6 / 12
	16	eave	17"	35' 2"	50 ft²	6 / 12
	17	rake	14"	20' 6"	25 ft²	6 / 12
	18	rake	14"	20' 6"	25 ft²	6 / 12
	19	eave	17"	13' 3"	19 ft²	6 / 12

	num	Type	Depth	Length	Area	Pitch
	20	eave	9"	6' 2"	4 ft²	6 / 12
	21	eave	17"	5' 11"	8 ft²	6 / 12
	22	eave	65"	7' 8"	42 ft²	6 / 12
	23	rake	14"	5' 1"	6 ft²	6 / 12
	24	eave	9"	7' 8"	5 ft²	6 / 12
	25	rake	14"	5' 1"	6 ft²	6 / 12
	26	eave	9"	6' 2"	4 ft²	6 / 12
	27	eave	17"	7' 4"	10 ft²	6 / 12
	28	eave	17"	11' 5"	16 ft²	6 / 12

Ø Feature is too small to label on the plan diagram


Roof	Length
Ridges (RI)	91' 9"
Hips (H)	-
Valleys (V)	35' 3"
Rakes (RA)	162' 6"
Eaves (E)	138'
Flashing (F)*	1' 9"
Step Flashing (SF)*	41'
Transition Line (TL)	-

\*Please view the 3D model for more detail (e.g. flashing, step flashing and some other roof lines may be difficult to see on the PDF)




Roof Facets


Facet	Area	Pitch
RF-1	695 ft <sup>2</sup>	6/12
RF-2	59 ft <sup>2</sup>	6/12
RF-3	739 ft <sup>2</sup>	6/12
RF-4	58 ft <sup>2</sup>	6/12
RF-5	59 ft <sup>2</sup>	6/12
RF-6	58 ft <sup>2</sup>	6/12
RF-7	734 ft <sup>2</sup>	6/12
RF-8	778 ft <sup>2</sup>	6/12



Roof	Facets	Total
Total	8	3180 ft <sup>2</sup>



Roof Pitch	Area	Percentage
6 / 12	3180 ft²	100%














VIEW 3D MODEL

Roof	Area	Total	Length
Roof Facets	2855 ft <sup>2</sup>	8	-
Ridges / Hips	-	7	159' 10"
Valleys	-	4	28' 8"
Rakes	-	4	21' 5"
Eaves	-	10	209' 3"
Flashing	-	0	-
Step Flashing	-	0	-
Drip Edge/Perimeter	-	-	230' 8"


Roof Pitch*	Area	Percentage
5 / 12	2855 ft <sup>2</sup>	100%




Example Waste Factor Calculations

	Zero Waste	+5%	+10%	+15%	+20%
Area	2855 ft <sup>2</sup>	2998 ft <sup>2</sup>	3141 ft <sup>2</sup>	3283 ft <sup>2</sup>	3426 ft <sup>2</sup>
Squares	28⅔	30	31⅔	33	34⅓

The table above provides the total roof area of a given property using waste percentages as noted. Please consider that area values and specific waste factors can be influenced by the size and complexity of the property, captured image quality, specific roofing techniques, and your own level of expertise. Additional square footage for Hip, Ridge, and Starter shingles are not included in this waste factor and will require additional materials. This table is only intended to make common waste calculations easier and should not be interpreted as recommendations.




Number of Stories: 1  
Footprint Perimeter: 201' 2"  
Footprint Area: 2335 ft<sup>2</sup>



Soffit Summary

Depth	Type	Count	Total Length	Total Area
6" - 12"	rakes	2	6' 5"	5 ft²
12" - 18"	rakes	2	6' 10"	8 ft²
	eaves	6	185' 5"	200 ft²
18" - 24"	eaves	4	4'	8 ft²
> 48"	eaves	2	9' 11"	99 ft²
Totals			212' 7"	320 ft²



Soffit Breakdown


	num	Type	Depth	Length	Area	Pitch
●	1	eave	23"	1' 2"	2 ft²	5 / 12
●	2	rake	14"	3' 5"	4 ft²	5 / 12
●	3	rake	14"	3' 5"	4 ft²	5 / 12
●	4	eave	122"	4' 9"	48 ft²	5 / 12
●	5	eave	23"	1' 2"	2 ft²	5 / 12
●	6	eave	13"	11' 7"	12 ft²	5 / 12
●	7	eave	13"	38' 6"	41 ft²	5 / 12
●	8	eave	13"	64' 3"	69 ft²	5 / 12
●	9	eave	13"	38' 6"	41 ft²	5 / 12
●	10	eave	13"	11' 6"	12 ft²	5 / 12
●	11	eave	23"	10"	2 ft²	5 / 12
●	12	eave	119"	5' 2"	51 ft²	5 / 12
●	13	rake	10"	3' 2"	3 ft²	5 / 12
●	14	rake	10"	3' 2"	3 ft²	5 / 12
●	15	eave	23"	10"	2 ft²	5 / 12
●	16	eave	13"	21' 2"	23 ft²	5 / 12

Ø Feature is too small to label on the plan diagram




Roof	Length
Ridges (RI)	48' 3"
Hips (H)	111' 8"
Valleys (V)	28' 8"
Rakes (RA)	21' 5"
Eaves (E)	209' 3"
Flashing (F)*	-
Step Flashing (SF)*	-
Transition Line (TL)	-

\*Please view the 3D model for more detail (e.g. flashing, step flashing and some other roof lines may be difficult to see on the PDF)




Roof Facets


Facet	Area	Pitch
RF-1	40 ft <sup>2</sup>	5/12
RF-2	38 ft <sup>2</sup>	5/12
RF-3	935 ft <sup>2</sup>	5/12
RF-4	40 ft <sup>2</sup>	5/12
RF-5	38 ft <sup>2</sup>	5/12
RF-6	389 ft <sup>2</sup>	5/12
RF-7	389 ft <sup>2</sup>	5/12
RF-8	986 ft <sup>2</sup>	5/12



Roof	Facets	Total
Total	8	2855 ft <sup>2</sup>



Roof Pitch	Area	Percentage
5 / 12	2855 ft²	100%














VIEW 3D MODEL

Roof	Area	Total	Length
Roof Facets	3346 ft²	7	-
Ridges / Hips	-	8	210' 4"
Valleys	-	2	52' 11"
Rakes	-	0	-
Eaves	-	8	231' 9"
Flashing	-	0	-
Step Flashing	-	0	-
Drip Edge/Perimeter	-	-	231' 9"

Roof Pitch*	Area	Percentage
5 / 12	3346 ft²	100%




Example Waste Factor Calculations


	Zero Waste	+5%	+10%	+15%	+20%
Area	3346 ft²	3513 ft²	3681 ft²	3848 ft²	4015 ft²
Squares	33⅔	35⅓	37	38⅔	40⅓

The table above provides the total roof area of a given property using waste percentages as noted. Please consider that area values and specific waste factors can be influenced by the size and complexity of the property, captured image quality, specific roofing techniques, and your own level of expertise. Additional square footage for Hip, Ridge, and Starter shingles are not included in this waste factor and will require additional materials. This table is only intended to make common waste calculations easier and should not be interpreted as recommendations.






Number of Stories: 1  
Footprint Perimeter: 205' 9"  
Footprint Area: 2520 ft<sup>2</sup>



Soffit Summary

Depth	Type	Count	Total Length	Total Area
18" - 24"	eaves	5	176' 2"	275 ft²
> 48"	eaves	1	35' 10"	297 ft²
Totals			212'	572 ft²




Soffit Breakdown

num	Type	Depth	Length	Area	Pitch
1	eave	99"	35' 10"	297 ft²	5 / 12
2	eave	19"	12' 10"	20 ft²	5 / 12
3	eave	19"	43' 4"	68 ft²	5 / 12
4	eave	19"	62' 8"	98 ft²	5 / 12
5	eave	19"	43' 4"	68 ft²	5 / 12
6	eave	19"	14'	22 ft²	5 / 12

Ø Feature is too small to label on the plan diagram


Roof	Length
Ridges (RI)	28' 1"
Hips (H)	182' 3"
Valleys (V)	52' 11"
Rakes (RA)	-
Eaves (E)	231' 9"
Flashing (F)*	-
Step Flashing (SF)*	-
Transition Line (TL)	-

\*Please view the 3D model for more detail (e.g. flashing, step flashing and some other roof lines may be difficult to see on the PDF)




Roof Facets

Facet	Area	Pitch
RF-1	341 ft <sup>2</sup>	5/12
RF-2	135 ft <sup>2</sup>	5/12
RF-3	135 ft <sup>2</sup>	5/12
RF-4	668 ft <sup>2</sup>	5/12
RF-5	525 ft <sup>2</sup>	5/12
RF-6	525 ft <sup>2</sup>	5/12
RF-7	1017 ft <sup>2</sup>	5/12






Roof	Facets	Total
Total	7	3346 ft <sup>2</sup>



Roof Pitch	Area	Percentage
5 / 12	3346 ft <sup>2</sup>	100%














1611 Wiswell Rd, Murray, KY 42071

Report: 64180482



In this 3D model, facets appear as semi-transparent to reveal overhangs.

Building: 1

## PREPARED FOR

Contact:	Clarksville Branch
Company:	Southern Roofing and Renovations
Address:	1683 Shelby Oaks Dr N Ste 6
	Memphis, TN 38134
Phone:	901-290-8625

## TABLE OF CONTENTS

Images .....	1
Length Diagram .....	4
Pitch Diagram .....	5
Area Diagram .....	6
Notes Diagram .....	7
Penetrations Diagram .....	8
Report Summary .....	9

## MEASUREMENTS

Total Roof Area = 5,012 sq ft  
 Total Roof Facets = 14  
 Predominant Pitch = 4/12  
 Number of Stories <= 1  
 Total Ridges/Hips = 152 ft  
 Total Valleys = 76 ft  
 Total Rakes = 262 ft  
 Total Eaves = 265 ft  
 Estimated Attic = 4,400 sq ft  
 Total Penetrations = 4  
 Total Penetrations Perimeter = 16 ft  
 Total Penetrations Area = 4 sq ft

Measurements provided by [www.eagleview.com](http://www.eagleview.com)



Certified Accurate

[www.eagleview.com/Guarantee.aspx](http://www.eagleview.com/Guarantee.aspx)



1611 Wiswell Rd, Murray, KY 42071

Report: 64180482

## IMAGES

The following aerial images show different angles of this structure for your reference.

Top View





1611 Wiswell Rd, Murray, KY 42071

Report: 64180482

## IMAGES

North Side



South Side






1611 Wiswell Rd, Murray, KY 42071


Report: 64180482

## IMAGES

East Side



West Side








1611 Wiswell Rd, Murray, KY 42071


Report: 64180482

## PITCH DIAGRAM

Pitch values are shown in inches per foot, and arrows indicate slope direction. The predominant pitch on this roof is 4/12



©2025 Eagle View Technologies, Inc., All Rights Reserved.



Note: This diagram contains labeled pitches for facet areas larger than 20.0 square feet. In some cases, pitch labels have been removed for readability. Blue shading indicates a pitch of 3/12 and greater. Gray shading indicates flat, 1/12 or 2/12 pitches. If present, a value of "F" indicates a flat facet (no pitch).






1611 Wiswell Rd, Murray, KY 42071


Report: 64180482

## AREA DIAGRAM

Total Area = 5,012 sq ft, with 14 facets.



© 2025 Eagle View Technologies, Inc., All Rights Reserved.



Note: This diagram shows the square feet of each roof facet (rounded to the nearest Foot). The total area in square feet, at the top of this page, is based on the non-rounded values of each roof facet (rounded to the nearest square foot after being totaled).




1611 Wiswell Rd, Murray, KY 42071


Report: 64180482

## NOTES DIAGRAM

Roof facets are labeled from smallest to largest (A to Z) for easy reference.



© 2025 Eagle View Technologies, Inc., All Rights Reserved.



1611 Wiswell Rd, Murray, KY 42071

Report: 64180482

# PENETRATIONS NOTES DIAGRAM


Penetrations are labeled from smallest to largest for easy reference.

Total Penetrations = 4


Total Penetrations Area = 4 sq ft

Total Penetrations Perimeter = 16 ft

Total Roof Area Less Penetrations = 5,008 sq ft



©2025 Eagle View Technologies, Inc., All Rights Reserved.



1611 Wiswell Rd, Murray, KY 42071

Report: 64180482

## REPORT SUMMARY

### All Structures

Areas per Pitch					
Roof Pitches	0/12	1/12	4/12	5/12	10/12
Area (sq ft)	49.0	553.7	1802.0	821.9	1785.1
% of Roof	1%	11%	36%	16.4%	35.6%

The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

Structure Complexity		
Simple	Normal	Complex

Waste Calculation									
NOTE: This waste calculation table is for asphalt shingle roofing applications. All values in table below only include roof areas of 3/12 pitch or greater. For total measurements of all pitches, please refer to the <b>Lengths, Areas, and Pitches</b> section below.									
Waste %	0%	4%	7%	9%	11%	14%	19%	24%	29%
Area (Sq ft)	4409	4586	4718	4806	4894	5027	5247	5468	5688
Squares *	44.33	46.00	47.33	48.33	49.00	50.33	52.66	55.00	57.00
	Measured			Suggested					

\* Squares are rounded up to the 1/3 of a square

Additional materials needed for ridge, hip, and starter lengths are not included in the above table. The provided suggested waste factor is intended to serve as a guide—actual waste percentages may differ based upon several variables that EagleView does not control. These waste factor variables include, but are not limited to, individual installation techniques, crew experiences, asphalt shingle material subtleties, and potential salvage from the site. Individual results may vary from the suggested waste factor that EagleView has provided. The suggested waste is not to replace or substitute for experience or judgment as to any given replacement or repair work.


Penetrations	1-4									
Area (sq ft)	1									
Perimeter (ft)	4									

Any measured penetration smaller than 3.0x3.0 Feet may need field verification. Accuracy is not guaranteed. The total penetration area is not subtracted from the total roof area.



1611 Wiswell Rd, Murray, KY 42071

Report: 64180482

**All Structures Totals**

Total Roof Facets = 14  
Total Penetrations = 4

**Lengths, Areas and Pitches**

Ridges = 152 ft (8 Ridges)  
Hips = 0 ft (0 Hips).  
Valleys = 76 ft (5 Valleys)  
Rakes<sup>†</sup> = 262 ft (17 Rakes)  
Eaves/Starter<sup>‡</sup> = 265 ft (10 Eaves)  
Drip Edge (Eaves + Rakes) = 527 ft (27 Lengths)  
Parapet Walls = 0 (0 Lengths).  
Flashing = 56 ft (3 Lengths)  
Step flashing = 104 ft (10 Lengths)  
Total Penetrations Area = 4 sq ft  
Total Roof Area Less Penetrations = 5,008 sq ft  
Total Penetrations Perimeter = 16 ft  
Predominant Pitch = 4/12  
**Total Area (All Pitches) = 5,012 sq ft**

**Property Location**

Longitude = -88.3268829

Latitude = 36.5880623

**Notes**

This was ordered as a commercial property. There were no changes to the structure in the past four years.

**Online Maps**

Online map of property

[http://maps.google.com/maps?f=q&source=s\\_q&hl=en&geocode=&q=1611+Wiswell+Rd,Murray,KY,42071](http://maps.google.com/maps?f=q&source=s_q&hl=en&geocode=&q=1611+Wiswell+Rd,Murray,KY,42071)

Directions from Southern Roofing and Renovations to this property

[http://maps.google.com/maps?f=d&source=s\\_d&saddr=1683+Shelby+Oaks+Dr+N+Ste+6,Memphis,TN,38134&daddr=1611+Wiswell+Rd,Murray,KY,42071](http://maps.google.com/maps?f=d&source=s_d&saddr=1683+Shelby+Oaks+Dr+N+Ste+6,Memphis,TN,38134&daddr=1611+Wiswell+Rd,Murray,KY,42071)

† Rakes are defined as roof edges that are sloped (not level).

‡ Eaves are defined as roof edges that are not sloped and level.





## Legal Notice and Disclaimer

3/26/2025

1611 Wiswell Rd, Murray, KY 42071

Report: 64180482

### IMPORTANT LEGAL NOTICE AND DISCLAIMER

#### Notice and Disclaimer

No Warranty: The Copyrighted Materials are provided to you "as is," and you agree to use it at your own risk.


EagleView Technologies makes no guarantees, representations or warranties of any kind, express or implied, arising by law or otherwise, including but not limited to, content, quality, accuracy, completeness, effectiveness, reliability, fitness for a particular purpose, usefulness, use or results to be obtained from the Copyrighted Materials.

Contractors agree to always conduct a preliminary site survey to verify Roof Report ordered. In the event of an error in a Report, your sole remedy will be a refund of the fees paid by you to obtain this Report.



1611 Wiswell Rd, Murray, KY 42071

Report: 64213170



In this 3D model, facets appear as semi-transparent to reveal overhangs.

Building: 2

## PREPARED FOR

Contact:	Clarksville Branch
Company:	Southern Roofing and Renovations
Address:	1683 Shelby Oaks Dr N Ste 6
	Memphis, TN 38134
Phone:	901-290-8625

## TABLE OF CONTENTS

Images .....	1
Length Diagram .....	4
Pitch Diagram .....	5
Area Diagram .....	6
Notes Diagram .....	7
Penetrations Diagram .....	8
Report Summary .....	9

## MEASUREMENTS

Total Roof Area = 8,233 sq ft  
 Total Roof Facets = 11  
 Predominant Pitch = 5/12  
 Number of Stories > 1  
 Total Ridges/Hips = 193 ft  
 Total Valleys = 22 ft  
 Total Rakes = 206 ft  
 Total Eaves = 346 ft  
 Estimated Attic = 7,898 sq ft  
 Total Penetrations = 16  
 Total Penetrations Perimeter = 60 ft  
 Total Penetrations Area = 15 sq ft

Measurements provided by [www.eagleview.com](http://www.eagleview.com)



Certified Accurate

[www.eagleview.com/Guarantee.aspx](http://www.eagleview.com/Guarantee.aspx)




1611 Wiswell Rd, Murray, KY 42071

Report: 64213170

## IMAGES

The following aerial images show different angles of this structure for your reference.

Top View





1611 Wiswell Rd, Murray, KY 42071

Report: 64213170

## IMAGES

North Side



South Side








1611 Wiswell Rd, Murray, KY 42071

Report: 64213170

## IMAGES

East Side



West Side








1611 Wiswell Rd, Murray, KY 42071

Report: 64213170

## LENGTH DIAGRAM

Total Line Lengths:

**Ridges = 171 ft****Hips = 22 ft****Valleys = 22 ft****Rakes = 206 ft****Eaves = 346 ft****Flashing = 0 ft****Step flashing = 81 ft****Parapets = 0 ft**


**Note:** This diagram contains segment lengths (rounded to the nearest whole number) over 5.0 Feet. In some cases, segment labels have been removed for readability. Plus signs preface some numbers to avoid confusion when rotated (e.g. +6 and +9).

1611 Wiswell Rd, Murray, KY 42071

Report: 64213170

## PITCH DIAGRAM

Pitch values are shown in inches per foot, and arrows indicate slope direction. The predominant pitch on this roof is 5/12



Note: This diagram contains labeled pitches for facet areas larger than 20.0 square feet. In some cases, pitch labels have been removed for readability. Blue shading indicates a pitch of 3/12 and greater. Gray shading indicates flat, 1/12 or 2/12 pitches.




1611 Wiswell Rd, Murray, KY 42071

Report: 64213170

## AREA DIAGRAM

Total Area = 8,233 sq ft, with 11 facets.



Note: This diagram shows the square feet of each roof facet (rounded to the nearest Foot). The total area in square feet, at the top of this page, is based on the non-rounded values of each roof facet (rounded to the nearest square foot after being totaled).




1611 Wiswell Rd, Murray, KY 42071

Report: 64213170

## NOTES DIAGRAM

Roof facets are labeled from smallest to largest (A to Z) for easy reference.





1611 Wiswell Rd, Murray, KY 42071

Report: 64213170

# PENETRATIONS NOTES DIAGRAM


Penetrations are labeled from smallest to largest for easy reference.

Total Penetrations = 16

Total Penetrations Area = 15 sq ft

Total Penetrations Perimeter = 60 ft

Total Roof Area Less Penetrations = 8,218 sq ft



1611 Wiswell Rd, Murray, KY 42071

Report: 64213170

## REPORT SUMMARY

### All Structures

Areas per Pitch			
Roof Pitches	1/12	2/12	5/12
Area (sq ft)	3196.7	1000.5	4035.6
% of Roof	38.8%	12.2%	49%

The table above lists each pitch on this roof and the total area and percent (both rounded) of the roof with that pitch.

Structure Complexity		
Simple	Normal	Complex

Waste Calculation									
NOTE: This waste calculation table is for asphalt shingle roofing applications. All values in table below only include roof areas of 3/12 pitch or greater. For total measurements of all pitches, please refer to the <b>Lengths, Areas, and Pitches</b> section below.									
Waste %	<b>0%</b>	4%	7%	<b>9%</b>	11%	14%	19%	24%	29%
Area (Sq ft)	<b>4036</b>	4198	4319	<b>4400</b>	4480	4602	4803	5005	5207
Squares *	<b>40.66</b>	42.00	43.33	<b>44.00</b>	45.00	46.33	48.33	50.33	52.33
	Measured			Suggested					

\* Squares are rounded up to the 1/3 of a square

Additional materials needed for ridge, hip, and starter lengths are not included in the above table. The provided suggested waste factor is intended to serve as a guide—actual waste percentages may differ based upon several variables that EagleView does not control. These waste factor variables include, but are not limited to, individual installation techniques, crew experiences, asphalt shingle material subtleties, and potential salvage from the site. Individual results may vary from the suggested waste factor that EagleView has provided. The suggested waste is not to replace or substitute for experience or judgment as to any given replacement or repair work.


Penetrations	1-2	3-16								
Area (sq ft)	0.2	1								
Perimeter (ft)	2	4								

Any measured penetration smaller than 3.0x3.0 Feet may need field verification. Accuracy is not guaranteed. The total penetration area is not subtracted from the total roof area.



1611 Wiswell Rd, Murray, KY 42071

Report: 64213170

**All Structures Totals**

Total Roof Facets = 11  
Total Penetrations = 16

**Lengths, Areas and Pitches**

Ridges = 171 ft (3 Ridges)  
Hips = 22 ft (1 Hips).  
Valleys = 22 ft (1 Valleys)  
Rakes<sup>†</sup> = 206 ft (13 Rakes)  
Eaves/Starter<sup>‡</sup> = 346 ft (10 Eaves)  
Drip Edge (Eaves + Rakes) = 552 ft (23 Lengths)  
Parapet Walls = 0 (0 Lengths).  
Flashing = 0 ft (0 Lengths)  
Step flashing = 81 ft (11 Lengths)  
Total Penetrations Area = 15 sq ft  
Total Roof Area Less Penetrations = 8,218 sq ft  
Total Penetrations Perimeter = 60 ft  
Predominant Pitch = 5/12  
**Total Area (All Pitches) = 8,233 sq ft**

**Property Location**

Longitude = -88.3264880

Latitude = 36.5878882

**Notes**

This was ordered as a commercial property. There were no changes to the structure in the past four years.

**Online Maps**

Online map of property

[http://maps.google.com/maps?f=q&source=s\\_q&hl=en&geocode=&q=1611+Wiswell+Rd,Murray,KY,42071](http://maps.google.com/maps?f=q&source=s_q&hl=en&geocode=&q=1611+Wiswell+Rd,Murray,KY,42071)

Directions from Southern Roofing and Renovations to this property

[http://maps.google.com/maps?f=d&source=s\\_d&saddr=1683+Shelby+Oaks+Dr+N+Ste+6,Memphis,TN,38134&daddr=1611+Wiswell+Rd,Murray,KY,42071](http://maps.google.com/maps?f=d&source=s_d&saddr=1683+Shelby+Oaks+Dr+N+Ste+6,Memphis,TN,38134&daddr=1611+Wiswell+Rd,Murray,KY,42071)

† Rakes are defined as roof edges that are sloped (not level).

‡ Eaves are defined as roof edges that are not sloped and level.



## Legal Notice and Disclaimer

3/26/2025

1611 Wiswell Rd, Murray, KY 42071

Report: 64213170

### IMPORTANT LEGAL NOTICE AND DISCLAIMER

#### Notice and Disclaimer

No Warranty: The Copyrighted Materials are provided to you "as is," and you agree to use it at your own risk.

EagleView Technologies makes no guarantees, representations or warranties of any kind, express or implied, arising by law or otherwise, including but not limited to, content, quality, accuracy, completeness, effectiveness, reliability, fitness for a particular purpose, usefulness, use or results to be obtained from the Copyrighted Materials.

Contractors agree to always conduct a preliminary site survey to verify Roof Report ordered. In the event of an error in a Report, your sole remedy will be a refund of the fees paid by you to obtain this Report.






VIEW 3D MODEL

Roof	Area	Total	Length
Roof Facets	1402 ft <sup>2</sup>	9	-
Ridges / Hips	-	4	58' 6"
Valleys	-	2	18' 6"
Rakes	-	12	116' 2"
Eaves	-	9	92' 7"
Flashing	-	2	3' 4"
Step Flashing	-	7	39' 2"
Drip Edge/Perimeter	-	-	208' 9"


Roof Pitch*	Area	Percentage
6 / 12	1136 ft <sup>2</sup>	81.03%
7 / 12	138 ft <sup>2</sup>	9.84%
2 / 12	128 ft <sup>2</sup>	9.13%




Example Waste Factor Calculations

	Zero Waste	+5%	+10%	+15%	+20%
Area	1402 ft <sup>2</sup>	1472 ft <sup>2</sup>	1542 ft <sup>2</sup>	1612 ft <sup>2</sup>	1682 ft <sup>2</sup>
Squares	14⅓	15	15⅔	16⅓	17

The table above provides the total roof area of a given property using waste percentages as noted. Please consider that area values and specific waste factors can be influenced by the size and complexity of the property, captured image quality, specific roofing techniques, and your own level of expertise. Additional square footage for Hip, Ridge, and Starter shingles are not included in this waste factor and will require additional materials. This table is only intended to make common waste calculations easier and should not be interpreted as recommendations.




Number of Stories: 1  
Footprint Perimeter: 144' 5"  
Footprint Area: 977 ft<sup>2</sup>



Soffit Summary

Depth	Type	Count	Total Length	Total Area
6" - 12"	eaves	4	31' 7"	29 ft²
12" - 18"	rakes	4	27' 1"	37 ft²
18" - 24"	rakes	7	75' 1"	125 ft²
	eaves	5	61' 3"	101 ft²
Totals			194' 11"	294 ft²



Soffit Breakdown

	num	Type	Depth	Length	Area	Pitch
●	1	eave	11"	9' 5"	9 ft²	6 / 12
●	2	rake	20"	13' 11"	23 ft²	6 / 12
●	3	eave	20"	35' 5"	59 ft²	6 / 12
●	4	rake	20"	8' 7"	14 ft²	6 / 12
●	5	rake	20"	4' 9"	8 ft²	6 / 12
●	6	rake	20"	8' 7"	14 ft²	6 / 12
●	7	eave	20"	1' 8"	3 ft²	6 / 12
●	8	rake	20"	13' 11"	23 ft²	6 / 12
●	9	rake	20"	11' 7"	19 ft²	2 / 12
●	10	eave	20"	6' 6"	11 ft²	2 / 12
●	11	eave	20"	8' 8"	14 ft²	6 / 12
●	12	eave	11"	7' 2"	7 ft²	7 / 12
●	13	rake	15"	5' 7"	7 ft²	7 / 12
●	14	rake	15"	5' 7"	7 ft²	7 / 12
●	15	eave	11"	7' 2"	7 ft²	7 / 12
●	16	eave	20"	9'	15 ft²	6 / 12
●	17	eave	11"	7' 9"	7 ft²	6 / 12
●	18	rake	20"	13' 11"	23 ft²	6 / 12
●	19	rake	17"	7' 11"	12 ft²	6 / 12


num	Type	Depth	Length	Area	Pitch
20	rake	17"	7' 11"	12 ft²	6 / 12

Ø Feature is too small to label on the plan diagram




Roof	Length
Ridges (RI)	58' 6"
Hips (H)	-
Valleys (V)	18' 6"
Rakes (RA)	116' 2"
Eaves (E)	92' 7"
Flashing (F)*	3' 4"
Step Flashing (SF)*	39' 2"
Transition Line (TL)	9' 10"

\*Please view the 3D model for more detail (e.g. flashing, step flashing and some other roof lines may be difficult to see on the PDF)




Roof Facets


Facet	Area	Pitch
RF-1	85 ft <sup>2</sup>	6/12
RF-2	83 ft <sup>2</sup>	6/12
RF-3	388 ft <sup>2</sup>	6/12
RF-4	515 ft <sup>2</sup>	6/12
RF-5	69 ft <sup>2</sup>	7/12
RF-6	69 ft <sup>2</sup>	7/12
RF-7	61 ft <sup>2</sup>	6/12
RF-8	128 ft <sup>2</sup>	2/12
RF-9	4 ft <sup>2</sup>	6/12



Roof	Facets	Total
Total	9	1402 ft²



Roof Pitch	Area	Percentage
6 / 12	1136 ft <sup>2</sup>	81.03%
7 / 12	138 ft <sup>2</sup>	9.84%
2 / 12	128 ft <sup>2</sup>	9.13%














VIEW 3D MODEL

Roof	Area	Total	Length
Roof Facets	1088 ft <sup>2</sup>	4	-
Ridges / Hips	-	1	32' 2"
Valleys	-	0	-
Rakes	-	8	80' 8"
Eaves	-	6	64' 3"
Flashing	-	0	-
Step Flashing	-	0	-
Drip Edge/Perimeter	-	-	144' 11"


Roof Pitch*	Area	Percentage
7 / 12	834 ft <sup>2</sup>	76.65%
2 / 12	152 ft <sup>2</sup>	13.97%
3 / 12	102 ft <sup>2</sup>	9.38%




Example Waste Factor Calculations

	Zero Waste	+5%	+10%	+15%	+20%
Area	1088 ft <sup>2</sup>	1142 ft <sup>2</sup>	1197 ft <sup>2</sup>	1251 ft <sup>2</sup>	1306 ft <sup>2</sup>
Squares	11	11⅔	12	12⅔	13⅓

The table above provides the total roof area of a given property using waste percentages as noted. Please consider that area values and specific waste factors can be influenced by the size and complexity of the property, captured image quality, specific roofing techniques, and your own level of expertise. Additional square footage for Hip, Ridge, and Starter shingles are not included in this waste factor and will require additional materials. This table is only intended to make common waste calculations easier and should not be interpreted as recommendations.




Number of Stories: 1  
Footprint Perimeter: 129' 11"  
Footprint Area: 846 ft<sup>2</sup>



Soffit Summary

Depth	Type	Count	Total Length	Total Area
6" - 12"	rakes	6	57' 11"	50 ft²
	eaves	1	21'	13 ft²
12" - 18"	eaves	4	66'	67 ft²
> 48"	eaves	4	35'	227 ft²
Totals			180'	358 ft²






Soffit Breakdown

	num	Type	Depth	Length	Area	Pitch
●	1	eave	12"	24'	24 ft²	2 / 12
●	2	eave	8"	21'	13 ft²	2 / 12
●	3	eave	67"	21'	117 ft²	2 / 12
●	4	eave	75"	8"	4 ft²	2 / 12
●	5	rake	10"	5' 4"	5 ft²	2 / 12
●	6	eave	12"	4' 8"	5 ft²	7 / 12
●	7	rake	10"	11' 10"	10 ft²	7 / 12
●	8	rake	10"	11' 10"	10 ft²	7 / 12
●	9	eave	12"	32' 2"	32 ft²	7 / 12
●	10	eave	96"	12' 9"	102 ft²	3 / 12
●	11	rake	10"	11' 10"	10 ft²	7 / 12
●	12	rake	10"	11' 10"	10 ft²	7 / 12
●	13	eave	12"	5' 3"	5 ft²	7 / 12
●	14	rake	10"	5' 4"	5 ft²	2 / 12
●	15	eave	75"	8"	4 ft²	2 / 12

Ø Feature is too small to label on the plan diagram


Roof	Length
Ridges (RI)	32' 2"
Hips (H)	-
Valleys (V)	-
Rakes (RA)	80' 8"
Eaves (E)	64' 3"
Flashing (F)*	-
Step Flashing (SF)*	-
Transition Line (TL)	36' 9"

\*Please view the 3D model for more detail (e.g. flashing, step flashing and some other roof lines may be difficult to see on the PDF)




Roof Facets


Facet	Area	Pitch
RF-1	152 ft <sup>2</sup>	2/12
RF-2	417 ft <sup>2</sup>	7/12
RF-3	417 ft <sup>2</sup>	7/12
RF-4	102 ft <sup>2</sup>	3/12



Roof	Facets	Total
Total	4	1088 ft <sup>2</sup>



Roof Pitch	Area	Percentage
7 / 12	834 ft²	76.65%
2 / 12	152 ft²	13.97%
3 / 12	102 ft²	9.38%














VIEW 3D MODEL

Roof	Area	Total	Length
Roof Facets	2498 ft²	4	-
Ridges / Hips	-	3	62'
Valleys	-	0	-
Rakes	-	8	121' 4"
Eaves	-	4	126' 3"
Flashing	-	0	-
Step Flashing	-	2	35' 5"
Drip Edge/Perimeter	-	-	247' 7"


Roof Pitch*	Area	Percentage
5 / 12	2498 ft²	100%




Example Waste Factor Calculations

	Zero Waste	+5%	+10%	+15%	+20%
Area	2498 ft²	2623 ft²	2748 ft²	2873 ft²	2998 ft²
Squares	25	26⅓	27⅔	29	30

The table above provides the total roof area of a given property using waste percentages as noted. Please consider that area values and specific waste factors can be influenced by the size and complexity of the property, captured image quality, specific roofing techniques, and your own level of expertise. Additional square footage for Hip, Ridge, and Starter shingles are not included in this waste factor and will require additional materials. This table is only intended to make common waste calculations easier and should not be interpreted as recommendations.




Number of Stories: 1





## Soffit Summary

Depth	Type	Count	Total Length	Total Area
6" - 12"	rakes	2	34' 5"	32 ft²
	eaves	2	30'	28 ft²
12" - 18"	rakes	6	78' 4"	86 ft²
	eaves	6	93' 6"	110 ft²
> 48"	eaves	3	30'	141 ft²
Totals			266' 3"	397 ft²




Soffit Breakdown

	num	Type	Depth	Length	Area	Pitch
●	1	eave	16"	27' 3"	37 ft²	5 / 12
●	2	eave	55"	27' 3"	125 ft²	5 / 12
Ø	3	eave	13"	1' 1"	1 ft²	5 / 12
●	4	eave	71"	1' 4"	8 ft²	5 / 12
●	5	eave	11"	14' 4"	13 ft²	5 / 12
●	6	rake	13"	19' 11"	22 ft²	5 / 12
●	7	eave	13"	11"	1 ft²	5 / 12
●	8	rake	11"	17' 3"	16 ft²	5 / 12
●	9	rake	13"	2'	2 ft²	5 / 12
●	10	rake	11"	17' 3"	16 ft²	5 / 12
●	11	eave	13"	62'	68 ft²	5 / 12
●	12	rake	13"	17' 3"	19 ft²	5 / 12
●	13	rake	13"	2'	2 ft²	5 / 12
●	14	rake	13"	17' 3"	19 ft²	5 / 12
●	15	eave	13"	1' 1"	1 ft²	5 / 12
●	16	rake	13"	19' 11"	22 ft²	5 / 12
●	17	eave	11"	15' 8"	15 ft²	5 / 12
●	18	eave	71"	1' 4"	8 ft²	5 / 12
Ø	19	eave	13"	1' 1"	1 ft²	5 / 12

Ø Feature is too small to label on the plan diagram


Roof	Length
Ridges (RI)	62'
Hips (H)	-
Valleys (V)	-
Rakes (RA)	121' 4"
Eaves (E)	126' 3"
Flashing (F)*	-
Step Flashing (SF)*	35' 5"
Transition Line (TL)	-

\*Please view the 3D model for more detail (e.g. flashing, step flashing and some other roof lines may be difficult to see on the PDF)




Roof Facets

Facet	Area	Pitch
RF-1	308 ft²	5/12
RF-2	679 ft²	5/12
RF-3	281 ft²	5/12
RF-4	1230 ft²	5/12




Roof	Facets	Total
Total	4	2498 ft²





Roof Pitch	Area	Percentage
5 / 12	2498 ft <sup>2</sup>	100%












[VIEW 3D MODEL](#)

Roof	Area	Total	Length
Roof Facets	1574 ft <sup>2</sup>	5	-
Ridges / Hips	-	2	63' 9"
Valleys	-	2	22' 9"
Rakes	-	8	89' 8"
Eaves	-	7	96' 2"
Flashing	-	0	-
Step Flashing	-	2	8' 2"
Drip Edge/Perimeter	-	-	185' 11"

Roof Pitch*	Area	Percentage
4 / 12	1526 ft <sup>2</sup>	96.95%
2 / 12	48 ft <sup>2</sup>	3.05%




Example Waste Factor Calculations


	Zero Waste	+5%	+10%	+15%	+20%
Area	1574 ft <sup>2</sup>	1653 ft <sup>2</sup>	1731 ft <sup>2</sup>	1810 ft <sup>2</sup>	1889 ft <sup>2</sup>
Squares	16	16⅔	17⅓	18⅓	19

The table above provides the total roof area of a given property using waste percentages as noted. Please consider that area values and specific waste factors can be influenced by the size and complexity of the property, captured image quality, specific roofing techniques, and your own level of expertise. Additional square footage for Hip, Ridge, and Starter shingles are not included in this waste factor and will require additional materials. This table is only intended to make common waste calculations easier and should not be interpreted as recommendations.






Number of Stories: 1  
Footprint Perimeter: 164' 9"  
Footprint Area: 1296 ft<sup>2</sup>



Soffit Summary

Depth	Type	Count	Total Length	Total Area
12" - 18"	rakes	6	65' 10"	81 ft <sup>2</sup>
	eaves	4	78' 7"	100 ft <sup>2</sup>
18" - 24"	eaves	2	2' 2"	3 ft <sup>2</sup>
> 48"	eaves	2	12' 2"	119 ft <sup>2</sup>
Totals			158' 9"	304 ft <sup>2</sup>




Soffit Breakdown

	num	Type	Depth	Length	Area	Pitch
	1	eave	181"	5' 10"	88 ft²	4 / 12
	2	rake	13"	6' 4"	7 ft²	4 / 12
	3	eave	18"	1' 1"	2 ft²	4 / 12
	4	eave	15"	14' 2"	18 ft²	4 / 12
	5	rake	15"	13' 3"	17 ft²	4 / 12
	6	rake	15"	13' 3"	17 ft²	4 / 12
	7	eave	15"	23' 1"	29 ft²	4 / 12
	8	eave	59"	6' 4"	31 ft²	2 / 12
	9	eave	15"	20' 7"	26 ft²	4 / 12
	10	rake	15"	13' 3"	17 ft²	4 / 12
	11	rake	15"	13' 3"	17 ft²	4 / 12
	12	eave	15"	20' 9"	26 ft²	4 / 12
	13	eave	18"	1' 1"	2 ft²	4 / 12
	14	rake	13"	6' 4"	7 ft²	4 / 12

Ø Feature is too small to label on the plan diagram


Roof	Length
Ridges (RI)	63' 9"
Hips (H)	-
Valleys (V)	22' 9"
Rakes (RA)	89' 8"
Eaves (E)	96' 2"
Flashing (F)*	-
Step Flashing (SF)*	8' 2"
Transition Line (TL)	6' 4"

\*Please view the 3D model for more detail (e.g. flashing, step flashing and some other roof lines may be difficult to see on the PDF)




Roof Facets

Facet	Area	Pitch
RF-1	77 ft²	4/12
RF-2	667 ft²	4/12
RF-3	77 ft²	4/12
RF-4	705 ft²	4/12
RF-5	48 ft²	2/12





Roof	Facets	Total
Total	5	1574 ft <sup>2</sup>



Roof Pitch	Area	Percentage
4 / 12	1526 ft²	96.95%
2 / 12	48 ft²	3.05%

